The Cleaning Resource

SAFETY DATA SHEET

1. Identification

Product identifier QUICK & CLEAN SUPER HIL-TONE

Other means of identification

SDS number 455N60A Product code HIL01016 Recommended use Floor Cleaner

Recommended restrictions For Labeled Use Only Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HILLYARD INDUSTRIES **Address** 302 North Fourth St. St. Joseph, MO 64501

Contact person Regulatory Affairs

Telephone number (816) 233-1321 (Ext. 8285)

(816) 383-8485 Fax

regulatoryaffairs@hillyard.com E-mail

(800) 424-9300 **Emergency telephone #**

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or

accident involving chemicals)

2. Hazard(s) identification

Physical hazards Not classified.

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation **Health hazards**

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause respiratory irritation.

Precautionary statement

Prevention Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area.

Response If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Storage

Disposal Buver assumes all risk and liability associated with disposal of this product (original concentration

or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry

container for recycling or reconditioning.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: QUICK & CLEAN SUPER HIL-TONE 1/7 HIL01016 Version #: 03 Revision date: 10-13-2016 Issue date: 01-27-2015

Supplemental information

Use only with adequate ventilation. Do not breathe vapors or spray mist. Ensure fresh air entry during application and drying. Do not spray fine fog mist into sparks or open flame - vapors may ignite. Close container after each use. Avoid prolonged contact with eyes, skin and clothing. Wash thoroughly after handling. Do not take internally. Repeated or prolonged skin contact may produce skin irritation. Do not spray fine fog mist into sparks or open flame - vapors may ignite.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic		64742-65-0	70 - < 80
Distillates (petroleum), Solvent-dewaxed Light Paraffinic		64742-56-9	20 - < 30
Solvent Naphtha (petroleum), Medium Aliphatic		64742-88-7	1 - < 3
Other components below reportable le	evels		< 0.1

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

May cause respiratory irritation.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

HIL01016 Version #: 03 Revision date: 10-13-2016 Issue date: 01-27-2015

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid prolonged exposure. Provide adequate ventilation. Wear

appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials

(see Section 10 of the SDS).

8. Exposure controls/personal protection

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Where exposure cannot be adequately controlled by general or local ventilation, use appropriate respiratory protection to prevent over-exposure. An approved dust/mist respirator would be

recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Where splashing of concentrate is a concern, use protective glasses with side shield

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Other None normally required. If unable to avoid prolonged or repeated contact with skin, wear

impervious clothing.

Respiratory protection Not available.

Thermal hazards None known.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear to slightly translucent, slight yellow liquid

Physical state Liquid.
Form Liquid.
Color Slight yellow
Odor Oil odor
Odor threshold Not available

pH Not available estimated

Melting point/freezing point Not applicable / Not available

Initial boiling point and boiling

range

305 °F (151.67 °C)

Flash point 225.0 °F (107.2 °C) Pensky-Martens Closed Cup

Evaporation rate < 1 Ethyl ether = 1
Flammability (solid, gas) Not established.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 6.6 mm Hg

Vapor density 4.7 AIR=1

Relative density 0.8575 at 77°C

Material name: QUICK & CLEAN SUPER HIL-TONE

SDS US

Solubility(ies)

Solubility (water) Negligible
Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature469.4 °F (243 °C)Decomposition temperatureNot availableViscosityNot available

Other information

Density 7.14 lbs/gal
Explosive properties Not explosive.
Oxidizing properties Not oxidizing.
Percent volatile 95 - 97.5 %
VOC < 3 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May cause respiratory irritation.

Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results

QUICK & CLEAN SUPER HIL-TONE

Acute Dermal

LD50 Rat 66667 ml/kg estimated

Oral

LD50 Mouse 6364 g/kg estimated
Rat 8664 g/kg estimated

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Material name: QUICK & CLEAN SUPER HIL-TONE

HIL01016 Version #: 03 Revision date: 10-13-2016 Issue date: 01-27-2015

^{*} Estimates for product may be based on additional component data not shown.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Aspiration hazard Chronic effects May cause respiratory irritation.

Specific target organ toxicity -

Not classified.

repeated exposure

Prolonged inhalation may be harmful.

Prolonged inhalation may be harmful.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

 Product
 Species
 Test Results

 QUICK & CLEAN SUPER HIL-TONE

Aquatic

Fish LC50 Fish 8109.9604 mg/l, 96 hours estimated

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not

contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or

dilution) in violation of applicable law.

Local disposal regulations Dispo

Hazardous waste code

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

Annex II of MARPOL 73/78 and

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

the IBC Code

^{*} Estimates for product may be based on additional component data not shown.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

Distillates (petroleum), Solvent-dewaxed Heavy Paraffinic (CAS 64742-65-0) Distillates (petroleum), Solvent-dewaxed Light Paraffinic (CAS 64742-56-9)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-27-2015 **Revision date** 10-13-2016 Version # 03

Health: 2 **HMIS®** ratings

Flammability: 0 Physical hazard: 0

Material name: QUICK & CLEAN SUPER HIL-TONE HIL01016 Version #: 03 Revision date: 10-13-2016 Issue date: 01-27-2015

Disclaimer

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products. HILLYARD cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

SDS US

HIL01016 Version #: 03 Revision date: 10-13-2016 Issue date: 01-27-2015