

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/18/2016

Revision: 02/18/2016

1 Identification

[•] Product identifier

· Trade name: Time Saver

· Product code: No other identifiers

· Recommended use and restriction on use

· Recommended use: Wax stripper

• Restrictions on use: See Sections 8 and 10 for further information.

• Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier: Bestway Products Company 333 West 700 South Salt Lake City, Utah 84101 Toll Free: (800) 331-9299 Office: (801) 328-4818 Fax: (801) 328-9080

• Emergency telephone number: ChemTel Inc. +1 (800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

[•] Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

STOT SE 3 H335 May cause respiratory irritation.

[·] Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



 Signal word: WARNING Danger
 Hazard-determining components of labeling: 2-butoxyethanol 2-aminoethanol
 Hazard statements: H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H314 H314 H335 May cause respiratory irritation.

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/18/2016

Trade name: Time Saver

Revision: 02/18/2016

(Cont'd. of page 1) · Precautionary statements: Do not breathe dusts or mists. P260 P264 Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection. P280 P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. P271 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P363 Wash contaminated clothing before reuse. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component		-
111-76-2	2-butoxyethanol	40-60%
	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 Flam. Liq. 4, H227	
141-43-5	2-aminoethanol	10-20%
	 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335 Flam. Liq. 4, H227 	
68439-46-3	alcohols, C9-11, ethoxylated	<10%
	🔶 Eye Dam. 1, H318	
Additional in		
For the listed	I ingredient(s), the identity and exact percentage(s) are being withheld as a trade sec	cret.

For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately remove any clothing soiled by the product.

(Cont'd. on page 3)



DESTWOU DPRODUCTS CO.

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/18/2016

Trade name: Time Saver

Revision: 02/18/2016

(Cont'd. of page 2) Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. • After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. • Most important symptoms and effects, both acute and delayed: Breathing difficulty Coughing Strong caustic effect on skin and mucous membranes.
 May cause respiratory irritation. Danger: Danger of gastric perforation. Causes serious eye damage. Harmful if swallowed, in contact with skin or if inhaled. Indication of any immediate medical attention and special treatment needed: If necessary oxygen respiration treatment. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

[·] Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

• For safety reasons unsuitable extinguishing agents: None.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation. • Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/18/2016

Trade name: Time Saver

Revision: 02/18/2016

(Cont'd. of page 3)

Pick up mechanically. Send for recovery or disposal in suitable receptacles. Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

• Precautions for safe handling:

Store in cool, dry conditions with good ventilation.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep containers tightly sealed.
- Specific end use(s): No relevant information available.

Components with limit values that require monitoring at the workplace:111-76-2 2-butoxyethanolPEL (USA)Long-term value: 240 mg/m³, 50 ppm SkinREL (USA)Long-term value: 24 mg/m³, 5 ppm SkinTLV (USA)Long-term value: 97 mg/m³, 20 ppm BEIEL (Canada)Long-term value: 20 ppm SkinEV (Canada)Long-term value: 20 ppm SkinLMPE (Mexico)Long-term value: 20 ppm A3, IBE141-43-5 2-amiroethanolPEL (USA)PEL (USA)Long-term value: 6 mg/m³, 3 ppm	
PEL (USA)Long-term value: 240 mg/m³, 50 ppm SkinREL (USA)Long-term value: 24 mg/m³, 5 ppm SkinTLV (USA)Long-term value: 97 mg/m³, 20 ppm BEIEL (Canada)Long-term value: 20 ppm SkinEV (Canada)Long-term value: 20 ppm SkinLMPE (Mexico)Long-term value: 20 ppm A3, IBE141-43-5 2-amiroethanol	
SkinREL (USA)Long-term value: 24 mg/m³, 5 ppm SkinTLV (USA)Long-term value: 97 mg/m³, 20 ppm BEIEL (Canada)Long-term value: 20 ppm SkinEV (Canada)Long-term value: 20 ppm SkinLMPE (Mexico)Long-term value: 20 ppm A3, IBE141-43-5 2-amiroethanol	
Skin TLV (USA) Long-term value: 97 mg/m³, 20 ppm BEI EL (Canada) Long-term value: 20 ppm EV (Canada) Long-term value: 20 ppm Skin Long-term value: 20 ppm LMPE (Mexico) Long-term value: 20 ppm A3, IBE IBE	
BEI EL (Canada) EV (Canada) Long-term value: 20 ppm Skin LMPE (Mexico) Long-term value: 20 ppm A3, IBE 141-43-5 2-amiroethanol	
EV (Canada) Long-term value: 20 ppm LMPE (Mexico) Long-term value: 20 ppm A3, IBE	
Skin LMPE (Mexico) A3, IBE 141-43-5 2-aminoethanol	
A3, IBE 141-43-5 2-aminoethanol	
PEL (USA) Long-term value: 6 mg/m ³ , 3 ppm	
REL (USA) Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 8 mg/m ³ , 3 ppm	



Printing date: 02/18/2016

Trade name: Time Saver

Revision: 02/18/2016

TIV//UOA	
TLV (USA)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm
EL (Canada)	Short-term value: 6 ppm
LL (Callada)	Long-term value: 3 ppm
EV (Canada)	Short-term value: 15 mg/m ³ , 6 ppm
	Long-term value: 7.5 mg/m ³ , 3 ppm
LMPE (Mexico)	Short-term value: 6 ppm
	Long-term value: 3 ppm
Ingredients wit	h biological limit values:
111-76-2 2-butc	•
BEI (USA) 200	
	ium: urine e: end of shift
	meter: Butoxyacetic acid with hydrolysis
Wash hands bet Do not inhale ga Avoid contact wi Engineering co	nove all soiled and contaminated clothing. fore breaks and at the end of work. ases / fumes / aerosols. ith the eyes and skin. ontrols: No relevant information available. pment: Suitable respiratory protective device recommended.
Protecti	ands:
The alove meter	ands: ive gloves
	ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation res Latex or nitrile gloves may be used.
Material of glov	ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation /es Latex or nitrile gloves may be used.

No relevant information available.

(Cont'd. on page 6)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/18/2016

Revision: 02/18/2016

Trade name: Time Saver

(Cont'd. of page 5)

Physical and chemical prope		
· Information on basic physical a	and chemical properties	
· Appearance:	1	
Form:	Liquid	
Color:	Yellow	
· Odor:	Fruit-like	
· Odor threshold:	Not determined.	
[·] pH-value:	12	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
[.] Danger of explosion:	Not determined.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Not determined.	
· Vapor pressure:	Not determined.	
[·] Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)	
· Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Cont'd. on page 7)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/18/2016

Trade name: Time Saver

Revision: 02/18/2016

(Cont'd. of page 6)

• Possibility of hazardous reactions: Exothermic reaction with acids.

• Conditions to avoid: Excessive heat.

· Incompatible materials: Strong acids

Hazardous decomposition products:

- Carbon monoxide and carbon dioxide
- Nitrogen oxides

11 Toxicolo	I Toxicological information				
· Informat · Acute tox		oxicological effects			
· LD/LC50	values that	at are relevant for classification:			
111-76-2 2	2-butoxye	ethanol			
Oral	LD50	1480 mg/kg (rat)			
Dermal	LD50	1001-2000 mg/kg (rat) (Estimated)			
Inhalative	LC50/4h	450 ppm (rat)			
141-43-5 2	2-aminoe	thanol			
Oral	LD50	2050 mg/kg (rat)			
Dermal	LD50	1000 mg/kg (rabbit)			
· Primary ir	ritant effe	ect:			
		ic effect on skin and mucous membranes.			
		caustic effect.			
		ed on available data, the classification criteria are not met.			
•		Agency for Research on Cancer):			
111-76-2	111-76-2 2-butoxyethanol 3				
· NTP (Nati	· NTP (National Toxicology Program):				
None of th	None of the ingredients are listed.				
· OSHA-Ca	(Occupa	tional Safety & Health Administration):			
None of th	e ingredie	ents are listed.			
· Probable	route(s) o	of exposure:			
Ingestion.					
Inhalation.					
Eye conta Skin conta					
		te toxicity, irritation and corrosivity): Irritating to respiratory system.			
		icity: From product as supplied: None.			
		nogenity, mutagenicity and toxicity for reproduction)			
		icity: Based on available data, the classification criteria are not met.			
· Carcinoge	enicity: B	ased on available data, the classification criteria are not met.			
		ity: Based on available data, the classification criteria are not met.			
		sure: May cause respiratory irritation.			
· STOT-rep	eated exp	posure: Based on available data, the classification criteria are not met.			
			(Cont'd. on page 8		



DESTWOU DPRODUCTS CO.

Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 02/18/2016

Trade name: Time Saver

Revision: 02/18/2016

(Cont'd. of page 7)

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- [·] Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability Biodegradable.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Ecotoxical effects:
- **Remark:** After neutralization a reduction of the harming action may be recognized
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- [•] Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects: No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
[·] UN-Number · DOT, ADR, IMDG, IATA	UN2491
[·] UN proper shipping name	
Limited Quantity for packa gal).	ages less than 30 kg (66 lb) and inner packagings less than 5 L (1.3 $$
DOT	Ethanolamine solutions mixture
	(Cont'd. on page 9)



Printing date: 02/18/2016

Revision: 02/18/2016

Trade name: Time Saver

	(Cont'd. of page
ADR	2491 ETHANOLAMINE SOLUTION mixture
IMDG	ETHANOLAMINE SOLUTION mixture
IATA	Ethanolamine solution mixture
Transport hazard class(es)	
DOT	
CORROSIVE	
Class	8 Corrosive substances
Label	8
ADR	
<u>un and</u>	
Class	8 (C7) Corrosive substances
· Label	8
· IMDG, IATA	
No. 34	
· Class · Label	8 Corrosive substances 8
	0
 Packing group DOT, ADR, IMDG, IATA 	Ш
	11
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80 5 A C D
· EMS Number: · Segregation groups	F-A,S-B Alkalis
Transport in bulk according to Ann	
MARPOL73/78 and the IBC Code	Not applicable.

(Cont'd. on page 10)

Printing date: 02/18/2016

Revision: 02/18/2016

Trade name: Time Saver

(Cont'd. of page 9)

Regulatory information	
 Safety, health and environmental regulations/legislation specific for the s mixture 	ubstance
· United States (USA)	
· SARA	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
111-76-2 2-butoxyethanol	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
111-76-2 2-butoxyethanol	
IARC (International Agency for Research on Cancer):	
111-76-2 2-butoxyethanol	
NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
[.] Canada [.] Canadian substance listings	
· Canadian Domestic Substances List (DSL):	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%):	
None of the ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 1%):	
111-76-2 2-butoxyethanol	
141-43-5 2-aminoethanol	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date: 02/18/2016

Revision: 02/18/2016

Trade name: Time Saver

(Cont'd. of page 10)

This information is based of	on our present knowledge. However, this shall not constitute a guarantee for an
	nd shall not establish a legally valid contractual relationship.
Date of preparation / last	revision 02/18/2016 / -
IMDG: International Maritime Cod DOT: US Department of Transport IATA: International Air Transport CAS: Chemical Abstracts Service LC50: Lethal concentration, 50 p LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative vPvB: very Persistent and very B NIOSH: National Institute for Occ OSHA: Occupational Safety & He Flam. Liq. 4: Flammable liquids, Acute Tox. 4: Acute toxicity, Haz Skin Corr. 1B: Skin corrosion/irritt Skin Corr. 1C: Skin corrosion/irritt Eye Dam. 1: Serious eye damage/ STOT SE 3: Specific target organ Sources Website, European Chemi Website, US EPA Substa	erning the International Carriage of Dangerous Goods by Road de for Dangerous Goods rtation Association e (division of the American Chemical Society) ercent e and Toxic ioaccumulative supational Safety salth Hazard Category 4 ation, Hazard Category 1B ation, Hazard Category 2 e/eye irritation, Hazard Category 1
Patty's Industrial Hygiene,	cts Registry, American Chemical Society (www.cas.org) 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 cology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN fual Manufacturers
SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602	9 2-2902 888-255-3924 Intl. +01 813-248-0573



Г